

August 26, 2016



6312 NW 18<sup>th</sup> Drive  
Suite 100  
Gainesville, FL 32653

352.378.0332 PHONE  
352.378.0354 FAX

[www.TRCsolutions.com](http://www.TRCsolutions.com)

August 26, 2016

Ms. Lori Simmons  
Arkansas Department of Health  
4815 West Markham Street  
Little Rock, Arkansas 72205  
Via email [Lori.Simmons@arkansas.gov](mailto:Lori.Simmons@arkansas.gov)

**Re: Georgia-Pacific, Crossett Mill - Biweekly Air Monitoring Report for Hydrogen Sulfide**

Dear Ms. Simmons,

Following is the biweekly data summary for the Georgia-Pacific (GP) hydrogen sulfide (H<sub>2</sub>S) and meteorological monitoring program, at the GP Crossett mill, covering the calendar period of July 13<sup>th</sup> through July 26<sup>th</sup>.

Summary of Results

Included in this report are three plots presenting H<sub>2</sub>S concentrations calculated with varied rolling average periods (30-minute, 8-hour, and 24-hour).

Also included in this report is a summary of results from the daily 1-point QC checks performed during this biweekly period. The QAPP establishes goals for precision and bias as a coefficient of variation (CV) <10% and ± 10%, respectively. Precision and bias are calculated in accordance with 40 CFR Part 58 Appendix A, Section 4.1.

There were no occurrences of data loss during this two week period, other than those resulting from automated daily 1-point QC and weekly calibration checks. Results for all available automated daily 1-point QC checks fall within the acceptable range, indicating the H<sub>2</sub>S monitor was operating in accordance with the QAPP.

Fourteen-day time series plots for all recorded meteorological (met) parameters are presented in the final table. All met parameters have 99% data capture for this report period. There was a power outage at the met site on July 26<sup>th</sup> which is responsible for the brief period of missing met data.

Please feel free to contact me if you have any questions or need any additional data.

Sincerely,



August 26, 2016




---


Jonathan Bowser  
Manager, Air Quality and Meteorological Monitoring

Air Measurements – Gainesville Office  
6312 NW 18th Drive, Suite 100  
Gainesville, Florida 32653  
(352) 260-1162  
Email: [jbowser@trcsolutions.com](mailto:jbowser@trcsolutions.com)


CC: Becky Keough, ADEQ Director via email: [keogh@adeq.state.ar.us](mailto:keogh@adeq.state.ar.us)  
Kara Allen, Environmental Engineer, USEPA Region 6 via email [Allen.Kara@epa.gov](mailto:Allen.Kara@epa.gov)



## H2S 8 Hr Rolling Avg Georgia Pacific Crossett, AR



## H<sub>2</sub>S 24 Hr Rolling Avg Georgia Pacific Crossett, AR



- 6 -

Meteorological Summary

